

SECRET

25X1A

German Democratic Republic

FDD Abstract [REDACTED]

TRO MATERIAL REQUIREMENTS FOR 1951 (77 pp; German; [REDACTED])

25X1C

[REDACTED] 25X1X

This document consists of two groups of [REDACTED] each set up according to the same format, pertaining to the 1951 material requirements of the TRO. [NOTE: Generally, this abbreviation stands for the Oberschoeneweide Transformer Plant, but it is stated under "Subject" [REDACTED] that this is the Dresden Transformer and X-Ray Plant, which was formerly the Koch and Stergel firm.] One group, covering 41 pages, itemizes those materials required for 1951 production which are to be imported. The other group, covering 36 pages, consists of the 1951 material requirements to be covered from the production of the Ministry for Heavy Industry.

25X1X

25X1A

Both groups contain the following information: a) plan position number and name of item; b) DIN (German Industrial Standard), that is, type, quality, and dimensions of item, and other technical data; c) quantity in tons; d) required delivery date; e) amount of the allotment still needed; f) date of order; g) office where order was placed -- German Trade Center branch or German Foreign Trade Organization; h) name of supplier plant or country, if known; i) supplier plant's or DAHA's order number, if known.

The materials on order include profile tool steel, ~~xxx~~ cold-drawn bar steel, seamless gas pipes, transformer plate, and free-cutting steel.

RETURN TO CIA LIBRARY

25X1A

24 July 1951

CENTRAL INTELLIGENCE AGENCY
INFORMATION REPORT

REPORT NO. [REDACTED]

CD NO.

COUNTRY Germany (Russian Zone)

DATE DISTR. 13 July 1951

SUBJECT Production Material Requirements of Transformatoren
und Röntgenwerk Dresden for 1951 (Formerly Koch u.
Stergel)

NO. OF PAGES 1

PLACE
ACQUIRED

NO. OF ENCLS. 1 (77pages)
(LISTED BELOW)

DATE OF
ACQUIRED

25X1A

SUPPLEMENT TO
REPORT NO. 25X1X

The attached material is forwarded to you for retention.

CLASSIFICATION SECRET

STATE	NAVY	NSRB	DISTRIBUTION									
ARMY	AIR		ORR	X								

